

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,924,059 B1
DATED : August 2, 2005
INVENTOR(S) : Soichiro Kawakami et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [*] Notice, "297 days." should read -- 237 days. --.

Column 1,

Line 66, "using" should read -- used --.

Column 2,

Line 6, "using" should read -- used --.

Column 4,

Line 34, "mean" should read -- means --.

Column 6,

Line 62, "lithium." should read -- lithium battery. --.

Column 8,

Line 28, "has an" should read -- has a --;
Line 31, "an sealing" should read -- a sealing --;
Lines 34 and 51, "**110a**" should read -- **101a** --; and
Line 67, "relatively." should read -- relatively thin. --.

Column 11,

Line 7, "indicates an" should read -- indicates a --; and
Line 30, "mental" should read -- metal --.

Column 12,

Line 12, "comprises" should read -- comprise --; and
Line 52, "(see." should read -- (see, --.

Column 13,

Line 3, "MOS₂." should read -- MoS₂. --.

Column 14,

Line 33, "isolating" should read -- isolate --;
Line 47, "of," should read -- of --; and
Line 55, "more" should read -- more of --.

Column 15,

Line 7, "electrolytesolution)," should read -- electrolyte solution), --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,924,059 B1
DATED : August 2, 2005
INVENTOR(S) : Soichiro Kawakami et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16.

Line 38, "battery is obtained." should read -- battery. --; and
Line 64, "an," should read -- an --.

Column 17.

Lines 8 and 10, "cellar" should read -- cellular --; and
Lines 40 and 59, "past" should read -- paste --.

Column 18.

Line 11, "50 μ ," should read -- 50 μ m, --; and
Line 28, "insulating" should read -- insulate --.

Column 19.

Line 6, "their" should be deleted; and
Line 35, "obtained" should read -- obtain --.

Column 20.

Line 41, "dimetacrylate" should read -- dimethacrylate --.

Column 22.

Line 10, "hours" should read -- hours in --;
Line 24, "battery(s)" should read -- battery(s) that --; and
Table 1, "battery in" should read -- batteries in --.

Column 23.

Line 2, "hours" should read -- hours in --;
Line 19, "in withstand" should read -- in withstanding --; and

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,924,059 B1
DATED : August 2, 2005
INVENTOR(S) : Soichiro Kawakami et al.

Page 3 of 3


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 23 (cont'd).

Line 24, "plat" should read -- plate --.

Signed and Sealed this

Twenty-eighth Day of March, 2006

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is written in a cursive style with a large, stylized "J" and "D".

JON W. DUDAS
Director of the United States Patent and Trademark Office